

Exhibit A - New Machines to be Purchased

Four Rivers Sanitation Authority - Printer/Multifunction Device Replacement

PR#	Make	Existing Model	Action	New MFP Type	Volume BW/Color	Internal Comments	Copy/Scan	Fax	Staple	Hole punch	Booklet	Drawers	Lease	Building	Where	Office #
PL01	Canon	iPF785	Replace	Plotter	N/A	Engineering is requesting we replace this with a Flat Media Production machine		--	--	--	--	Basket	owned	Administration	Engineering Reproduction Room	164/165
PL02	Canon	iPF785	Replace	Plotter	N/A			--	--	--	--	Basket	owned	Administration	Engineering Reproduction Room	164/165
PL03	Canon	iPF785	Replace	Plotter	N/A			--	--	--	--	Basket	owned	Old Admin/Mew Support Services	To Be Determined	TBD
PR01	Xerox	Phaser 7760GX	Replace	--	0/34		NA	--	--	--	--	4		Old Main Pump	--	TBD
PR02	Xerox	Phaser 7760GX	Eliminate	--	122/304		NA	--	--	--	--	4		Maintenance	Maint. Jim Reader Ofc	118
PR03	Lexmark	E450dn	Replace	Low Vol. MFP	0		NA	--	--	--	--	1		Administration	Billing/Collections	109
PR06	Lexmark	XC4150	Replace	Med. Vol. MFP	224/1980	humidity issues/ fuser problems need a machine here	Yes	Fax	--	--	--	2		Administration	Billing Driveup Window	109J
PR07	Ricoh	MP C4503	Replace	Med. Vol. MFP	7330/1680		Yes	Fax	External	--	--	4	owned	Maintenance	Maintenance 1st Floor	108
PR08	Ricoh	MP C4503	Replace	Med. Vol. MFP	1874/2718		Yes	Fax	External	?	--	4	owned	Administration	Admin/PlantOps	137
PR09	Ricoh	MP C6502	Replace	High Vol. MFP	6356/5928	Could the business card printing function of PR35 be combined as a trav on this MFP?	Yes	Fax	External	Y	Y	High Capacity + 2 W Adj Stand		Administration	Accounting (Admin Bldg 147)	147
PR13	Lexmark	XM5365	Replace	Low Vol. MFP	494/0		Yes	Fax	--	--	--	2 W Adj Stand		Laboratory	Lab - IWS	15
PR14	Lexmark	E450dn	Replace	Printer	702/0		NA	--	--	--	--	1		Administration	Admin - Engineering	169J
PR19	Ricoh	MP C2504	Replace	Low Vol. MFP	774/656		Yes	Fax	External	--	--	2 W / storage Stand		Administration	Admin - Brittany Krutz	155
PR20	Lexmark	E450dn	Replace	Printer		Replace for IT testing.	NA	--	--	--	--	1		Administration	ITS Hallway (outside office)	149
PR27	Xerox	WorkCentre 3220	Replace	Low Vol. MFP	314/0		Yes	F	--	--	--	1		Guard Shack	Guard Shack Desk	Only one room
PR29	Ricoh	MP C6502	Replace	High Vol. MFP	3596/9004	Engineering is requesting a second copier similar to this one for Old Main Pump building. It will not need the GBC Punch and Bind unit, just print, copy, scan and fax and it expected medium volume volume.	Yes	Needs Fax	GBC Punch and Bind Unit			High Capacity + 2 drawers		Administration	Engineering	164/165
PR32	Ricoh	MP C4503	Replace	Med. Vol. MFP	254/1110		Yes	Yes	External	Yes	--	4		Old Admin/New Support Services	To Be Determined	TBD
PR33	Xerox	Phaser 7760GX	Replace	Med. Vol. MFP	728/2418	Engineering would like this one replaced. Scanning functionality not necessary.								Administration	Engineering Reproduction Room	164/165
PR35	Xerox	Phaser 7760GX	Replace	Low Vol. MFP	1292/1292	Could the business card printing function of this device be combined as a trav on MFP	Yes	--	--	--	--	4		Administration	Accounting	147
PR36	Lexmark	MS610dn	Replace	Low Vol. MFP	218/0		Yes	--	--	--	--	2		Maintenance	Maint. Stock Room	110
PR38	Ricoh	MP C4504	Replace	Med. Vol. MFP	1074/1318		Yes	Fax	External	Yes	Yes	4		Administration	Susan Skinner's Ofc	125
PR39	Ricoh	MP C4503	Replace	High Vol. MFP	7926/4024		Yes	Fax	External	Yes	--	4	owned	Administration	Billing/Collections	109
PR40	HP	M402DNE	Replace	Printer			NA	--	--	--	--	2 drawers		Administration	Vault	157
PR41	Ricoh	MP C4503	Replace	Med. Vol. MFP	2902/1864		Yes	--	--	--	--	4		Laboratory	Lab - Upstairs	201
PR42	Lexmark	C544dn	Replace	Low Vol. MFP	14/0		Yes	--	--	--	--	1		Maintenance	Auto Shop	116
PR 43	Lexmark	Xc4150	New	Med. Vol. MFP			Yes	Yes	External	Yes				Old Admin/New Suooort Services	TBD	TBD

Exhibit B - Existing Machines to be included in support Contract

Four Rivers Sanitation Authority - Printer/Multifunction Device Replacement

PR#	Make	Existing Model	Action	New MFP Type	Volume BW/Color	Internal Comments	Copy/Scan	Fax	Staple	Hole punch	Booklet	Drawers	Lease	Building	Where	Office #
PR05	Xerox	WorkCentre 6515	Keep	Low Vol. MFP	30/0	Keep this newer device. Confirms functions.	Yes	--	--	--	--	1	owned	Dewatering	Dewatering/Operator Office	Unexcavated?
PR15	Ricoh	SP 360SFNw	Keep	Low Vol. MFP	198/0	Keep this newer device.	Yes	Fax	--	--	--	1- 250 sheet		FEMS	FEMS	Only one room
PR16	Ricoh	SP 360SFNw	Keep	Low Vol. MFP	116/178	Keep this newer device.	Yes	Fax	--	--	--	1-250 sheet		Maintenance	Maintenance - Melanie Overman	102B
PR21	Lexmark	C4150	Retain	Med. Vol. MFP	1914/7518	Keep this newer device.	Yes	--	--	--	--	2		Administration	Billing - walkup window	1091

FOR REVIEW PURPOSES ONLY